

SANUVOX TECHNOLOGIES 1 Hour disinfection time ROOM VOLUME SIZE		S-300		S-1000		P-900
		9 000 ft3 (255 m3)		22 500 ft3 (637 m3)		2250 ft3 (64 m3)
		1 J-10.5		2 J-16		1 J-6.5
	LOG	% Disinfection	LOG	% Disinfection	LOG	% Disinfection
Mycobacterium tuberculosis	4.7	99.9980%	7.8	100.0000%	6.3	99.9999%
Candida auris	4.4	99.9964%	7.4	100.0000%	5.9	99.9999%
Coronavirus (SARS-CoV-1)	3.7	99.9822%	6.2	99.9999%	5.0	99.9990%
Proteus mirabilis	2.9	99.8664%	4.8	99.9983%	3.8	99.9851%
Mycoplasma pneumoniae	2.8	99.8324%	4.6	99.9975%	3.7	99.9799%
Salmonella	2.2	99.3660%	3.6	99.9775%	2.9	99.8818%
Aeromonas	2.0	99.0448%	3.4	99.9555%	2.7	99.7959%
Rickettsia prowazekii	1.8	98.2233%	2.9	99.8754%	2.3	99.5337%
Staphilococcus epidermis	1.6	97.5574%	2.7	99.7887%	2.1	99.2874%
E. Coli	1.6	97.1982%	2.6	99.7347%	2.1	99.1446%
Yersinia enterocolitica	1.5	97.0263%	2.5	99.7072%	2.0	99.0740%
Coxiella burnetii	1.5	97.0257%	2.5	99.7071%	2.0	99.0737%
Lactobacillus reuteri	1.5	97.0257%	2.5	99.7071%	2.0	99.0737%
Vaccinia virus	1.5	96.9914%	2.5	99.7015%	2.0	99.0595%
smallpox	1.5	96.9776%	2.5	99.6992%	2.0	99.0537%
Newcastle disease	1.4	96.3028%	2.4	99.5797%	1.9	98.7624%
Coronavirus (COVID-19)	1.4	95.7583%	2.3	99.4721%	1.8	98.5139%
Acinetobacter baumannii	1.3	94.6667%	2.1	99.2280%	1.7	97.9839%
influenza A virus	1.2	93.4460%	2.0	98.9133%	1.6	97.3471%